



TruDefinition®
OAKRIDGE®
Shingles



TruDefinition® Oakridge® Driftwood†



TOTAL PROTECTION. TOTAL CONFIDENCE.®





TruDefinition®
OAKRIDGE®
Shingles

TruDefinition® Oakridge® Shingles feature the bold contrast and deep dimension of TruDefinition® color in a shingle that provides a beautiful step up from traditional three-tab shingles.

At Owens Corning Roofing, TruDefinition® is our color design platform trademark on shingles that are specially formulated to capture the bright, vibrant hues and deep, dramatic shades that showcase the aesthetic appeal of your home. We use multiple granule colors and shadowing to provide a spectacular look that will enhance your home and complement its natural surroundings. See the difference with TruDefinition® Oakridge® Shingles.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 110/130** MPH Wind Resistance Limited Warranty*
- StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty.*

Home sweet home.

Home is where you want to feel the most comfortable and protected. It can be a source of pride and an expression of your personality. But when the time comes to purchase a new roof, it's easy to feel overwhelmed. Don't worry. Owens Corning Roofing and your contractor are here to help. We'll make it easy for you to select the right shingle for your type of home and sense of style. You can feel confident about choosing our roofing products — Owens Corning has been a recognized leader in the building industry for over 75 years. And we take pride in being America's most trusted Roofing Brand.⁵


ENERGY STAR® is for roofs too.



Similar to the energy-efficient appliances in your home, roofing products can help provide energy-saving qualities. Owens Corning®

TruDefinition® Oakridge® Roofing Shingles in Shasta White can help reduce your heating

and cooling bills when installed properly. These shingles reflect solar energy helping to decrease the amount of heat transferred to a home's interior — and the amount of air conditioning needed to keep it comfortable. Actual savings will vary based on geographic location and individual building characteristics. Call 1-800-GET-PINK® or 1-888-STAR-YES for more information.



Brownwood†



Desert Tan†



Estate Gray†



Shasta White†



Chateau Green[†]



Driftwood[†]



Onyx Black[†]



Teak[†]

Product Attributes

Warranty Length*

Limited Lifetime[‡] (for as long as you own your home)

Wind Resistance Limited Warranty*

110/130 MPH**

Algae Resistance Limited Warranty*

10 Years

TRU PROtection[®] Non-Prorated Limited Warranty* Period

10 Years

Product Specifications

Size	13 ¹ / ₄ " x 39 ³ / ₈ "
Application Exposure	5 ⁵ / ₈ "
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

Florida Product Approval

ICC-ES AC438#

Miami-Dade County Product Approval**

PRI ER 1378E01

Shasta White color meets ENERGY STAR[®] requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).

* See actual warranty for complete details, limitations and requirements.

** 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning[®] Starter Shingle products application along eaves and rakes in accordance with installation instructions.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

‡ 40-year Limited Warranty on commercial projects.

Applies for all areas that recognize a Miami-Dade Notice of Acceptance (NOA).

§ 2018 Roofing Brand Awareness Study by Owens Corning Roofing and Asphalt, LLC.

International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning[®] roofing products such as flashing, fasteners, pipe boots and wood decking.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

Shingles are algae resistant to help control the growth of algae and discoloration.



Total Protection Roofing System^{®^}

TOTAL PROTECTION SIMPLIFIED™



Owens Corning[®] Total Protection Roofing System^{®^} integrates engineered Owens Corning[®] components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. **With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.**



SEAL.

SELF-ADHERED ICE & WATER BARRIER
SYNTHETIC UNDERLAYMENT




DEFEND.

STARTER SHINGLES
LAMINATE SHINGLES
HIP & RIDGE SHINGLES



BREATHE.

INTAKE VENTS
EXHAUST VENTS



+ COMFORT.

PINK[®] FIBERGLAS™
BLOW-IN
ATTIC INSULATION



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659
1-800-GET-PINK[®]
www.owenscorning.com/roofing



Pub. No. 10019475-C. Printed in U.S.A. October 2019.
THE PINK PANTHER™ & © 1964–2019 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2019 Owens Corning. All Rights Reserved.
(Memphis)